Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1196	(cpu host client processor) with (port) with (access\$3 address\$3) with (bank partition chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:09
L2	445	1 same (multiple dual plural\$5 both different)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:49
L3	102	2 and "711"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:48
L4	315	1 same (multiple plural\$5 different)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:51
L5	85	4 and "711"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:05
L6	2	"6898678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:06
L7	8460	(cpu host client processor) with (access\$3 address\$3) with (bank \$4ram memory storage partition chip) same ((shar\$3 multiple plural\$5 different) same (one single host-only hom) same (mode scheme type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:13
L8 .	264	7 and 711/147-149.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:13

L9	42	7 and 711/149.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:21
L10	401	711/149.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ::	2007/06/14 16:33
L11	33	10 and (mode sheme).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:53
L12	1	"5996051".pn. and (non-concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/14 16:54
L13	1	12 and (output data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 17:05
L14		"6826657".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 17:05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12 2	1	"20040088489".pn. and (non-continuous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:40
S12 1	3	S116 same (entire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 12:59
S12 0	2	S116 same (partition\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 12:55
S11 6	124	((multi-port ((multiple dual double multi) near3 (memory storage \$4ram) near3 (deliv\$3 output\$3))) same (((host cpu processor) with (single sole\$3 one individual) with (access\$3 address\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 12:53
S11 9	.44	S118 not S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:57
S11 8	48	S116 and 711/;365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:57
S10 9	42	S108 and 711/;365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/06/14 11:56
S11 7	8	S116 same (width bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:50

				,		
S11 5	77	S114 and "711"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:26
S11 4	241	S113 same (width bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:25
S11 3	3217	((multi-port ((multiple dual double multi) near3 (memory storage \$4ram) (deliv\$3 output\$3) near3 (simultaneous\$3 parallel))) same (((host cpu processor) with (single sole\$3 one individual) with (access\$3 address\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:23
S11 2	983	((multi-port ((multiple dual double multi) near (memory storage \$4ram output))) same (((host cpu processor) with (single sole\$3 one individual) with (access\$3 address\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:15
S10 7	1575	((multi-port ((multiple dual double multi) near (memory storage \$4ram))) same (((host cpu processor)) same ((multiple dual plural\$5) same (output (data near3 (terminal port))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:11
S11 1	2	S110 and (single sole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:09
S11 0	2	"20050235117".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:08
S10 8	144	S107 same simultaneous\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:06

,			,		T	
S10 5	445	((multi-port ((multiple dual double multi) near (memory storage \$4ram))) same (((individual single sole one) with (host cpu processor)) same ((multiple dual plural\$5) same (output))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:58
S10 6	8	S105 and 711/147-149;365/230.05. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:55
S10 4	16	((multi-port ((multiple dual double multi) near port)) and (((individual single sole one) same (host cpu processor)) same ((multiple dual plural\$5) same (output))) same (inactive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:52
S10 3	0	((multi-port ((multiple dual double multi) near port)) and (((individual single sole one) near3 (host cpu processor)) same ((multiple dual plural\$5) with (output))) same (inactive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:46
S10 1	469	((multi-port ((multiple dual double multi) near port)) and (((individual single sole one) near3 (host cpu processor)) same ((multiple dual plural\$5) with (output))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:42
S10 2	15	S101 and 711/147-149;365/230.05. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:35
S94	97	((multi-port ((multiple dual double multi) near port)) with (host cpu processor)) same (individual single sole one) same (bandwidth ((bus channel) near5 (amount quantity width)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:28
S10 0	24	S99 and 711/;365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:25

·			·	T		
S99	126	((multi-port ((multiple dual double multi) near3 (port terminal))) with (output)) with (bandwidth ((bus channel) near5 (amount quantity width)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/06/14 10:24
S98	307	((multi-port ((multiple dual double multi) near3 (port terminal))) with (output)) same (bandwidth ((bus channel) near5 (amount quantity width)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:22
`S97	3	S94 and 711/147-149.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 18:44
S96	6	S95 and 711/147-149.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 18:44
S95	117	S90 same (bandwidth ((bus channel) near5 (amount quantity width)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 18:43
S91	71	S90 and 711/147-149.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 18:43
S93	4896	((multi-port ((multiple dual double multi) near port)) with (host cpu processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 18:37
S90	1693	S89 same (individual single sole one) same (multiple both dual multi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 18:36

S89	2634	((multi-port ((multiple dual double multi) near port)) same (shar\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 18:34
S92	0	("2005/0235117").URPN.	USPAT	OR	ON	2007/06/13 18:29
. S85	125	(multi-port ((multiple dual double multi) near port)) same ((access\$3 address\$3 host) near3 (individual single sole one)) same (output near5 (multiple both dual multi mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 18:03
S88		"6065092".pn. and (synchron\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 17:19
S87	1	"6065092".pn. and (synchron\$5 near5 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 17:19
S86	28	S85 and "711"/;365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/06/13 16:25
S84	28	S82 and "711"/;365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:25
S82	122	(multi-port ((multiple dual double multi) near port)) same ((access\$3 address\$3) near3 (individual single sole one)) same (output near5 (multiple both dual multi mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:24
S83	20	S82 and "711"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:21

S48	4385	(multi-port ((multiple dual double multi) near port)) same ((access\$3 address\$3) near3 (individual single sole multiple dual multi mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:19
S81	1	"6785188".pn. and (single dual)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 15:01
S80	16	("5321652" "5557768" "5566318" "5875470").PN. OR ("6167487"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 15:01
S79	1	"6167487".pn. and output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:29
S78		"6167487.p.n" and output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:28
S4	3059	711/131,147-149,153;365/230.05. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:28